

IN THE CLAIMS

1. - 12. (Canceled)

13. (Currently Amended) A method of manufacturing a substrate having a plurality of wirings, the method comprising the steps of:

forming a plurality of wirings on a substrate;

preparing a probe comprising a conductive sheet and an elastic member for pressing the conductive sheet against the plurality of wirings, wherein the conductive sheet comprises a mesh sheet and a conductive material formed on the mesh sheet;

pressing the probe against the plurality of wirings so that the plurality of wirings electrically connect to each other in common through the conductive sheet; and
supplying an electric potential to the plurality of wirings through the probe.

14. (Currently Amended) The method according to claim 13, wherein
[[the]] ~~said conductive sheet comprises a conductive~~ mesh sheet is made of resin.

15. (Currently Amended) The method according to claim 14, wherein
[[the]] ~~said conductive~~ mesh sheet ~~comprises~~ is composed of a woven plurality of linear members ~~woven together~~ made of resin.

16. (Previously Presented) The method according to claim 13, further comprising the step of forming a plurality of electron-emitting devices electrically connected to the plurality of wirings.

17. (Currently Amended) A method of manufacturing a display device including a substrate having a plurality of wirings, the method comprising the steps of:

forming a plurality of wirings on a substrate;

preparing a probe comprising a conductive sheet and an elastic member for pressing the conductive sheet against the plurality of wirings, wherein the conductive sheet comprises a mesh sheet and a conductive material formed on the mesh sheet;

pressing the probe against the plurality of wirings so that the plurality of wirings electrically connect to each other in common by the conductive sheet; and

supplying an electric potential to the plurality of wirings through the probe.

18. (Currently Amended) The method according to claim 18, wherein said ~~conductive sheet comprises a conductive~~ mesh sheet is made of resin.

19. (Currently Amended) The method according to claim 18, wherein said ~~conductive~~ mesh sheet is composed of a woven plurality of linear members made of resin.

20. (Previously Presented) The method according to any one of claims 17-19, said display device further including a plurality of electron-emitting regions formed by said electric potential supplying step.